
Part 1 — What the function does

What it does. AI Support, the third left tab, turns a workbook and a plain request into ReliaEn analyses: it reads the file's columns, proposes what each column holds, runs the analysis steps, and answers in words in which every number is a cell of a report you can open. With a language model connected you type the request; on a computer that cannot run a model, or before one is connected, **Menu mode** offers the same analyses as buttons. No number in an answer is written by the model: each comes from a report.



The AI Support tab in Menu mode

- ① The header: Menu mode, or the provider, model and tier in use.
- ② The context line: Context: and the asset, module or report in view, or nothing selected.
- ③ The welcome card: Menu mode — no model is configured. Choose an action below, or open Settings... to connect a model., and Weibull (2P) — MLE with the buttons B10 and MTTF.
- ④ Attach file...: an Excel or CSV file for the job.
- ⑤ The text field: Say what you want — in Thai or English.
- ⑥ Send.

From which data. An Excel or CSV workbook with one row per unit: an identifier, a time, and whether the unit failed or is still running.

When an engineer uses it. When a life figure is wanted quickly from a workbook as it comes, without typing it into the worksheet first, and with the full report behind the number.

When not to use it.


Situation	Use instead
The analysis needs a choice Menu mode does not offer (another distribution, another method)	The analysis's own form, Life Data ▸ …
The data are already in the worksheet	The analysis's own form reads the worksheet directly

---

Part 2 — The example's input data

Setting. A maintenance planner on an office laptop with 8 GB of memory and no supported graphics card - too small for a local model - has the failure log of three cooling-water pumps in one workbook and wants the B10 life of pump P-101.

Input	Value
File in the worked-example zip	1-AI-Support/Example-2.xlsx, sheet Failures
Its columns	Asset, Time_to_fail_h, Status (F failed, S still running)
P-101: failures, hours	1850, 2420, 3100, 3650, 4200, 4700, 5150, 5600, 6100
P-101: still running, hours	3000, 4500, 6500
P-102 and P-103	12 rows each, in the same sheet




The tab before the job

- ① The header: Menu mode, or the provider, model and tier in use.
- ② Context: nothing selected.
- ③ The welcome card's B10.
- ④ Attach file...: an Excel or CSV file for the job.
- ⑤ The text field: Say what you want — in Thai or English.
- ⑥ Send.

Part 3 — How to use it, step by step


1. **Choose View ▸ AI Support.** The third left tab opens.



Step 1 — the menu path

- ① View: the menu.
- ② AI Support: the entry to click.

2. **Click Attach file… and choose Example-2.xlsx.**




Step 2 — the tab

- ① The header: Menu mode, or the provider, model and tier in use.
- ② The context line: Context: and the asset, module or report in view, or nothing selected.
- ③ The welcome card: Menu mode — no model is configured. Choose an action below, or open Settings… to connect a model., and Weibull (2P) — MLE with the buttons B10 and MTTF.
- ④ Attach file…: the button to click.
- ⑤ The text field: Say what you want — in Thai or English.
- ⑥ Send.

3. ③ **Click B10 on the welcome card.** ReliaEn reads the workbook, says in a Notice card why there is no model, and shows the Menu mode card with B10 chosen, and a Column mapping card proposed from the column names.


4. **Check the mapping and click Run on the Menu mode card.**



Step 4 — the Menu mode and Column mapping cards

- ① The Notice card: This computer has 8 GB RAM and no supported GPU; AI planning is unavailable. Menu mode is available.
- ② The Menu mode card: Analysis Weibull (2P) — MLE, Quantity B10, and Run.
- ③ The Column mapping card: Asset the group, Time_to_fail_h the time in hours, Status failed or running, F / S.

Part 4 — The result



The answer

- ① The Plan card, confirmed: 1. Weibull life-data fit — method MLE, params 2 and 2. A life quantity from a fit — quantity Bx, x 10, CL 0.95.
- ② The Answer card: one line per pump in the workbook - P-102 2053.59 h, P-103 2913.33 h - and Every number in this answer is a report cell. Click a number to open the report.
- ③ P-101's chip: B10 life 2505.63 h. One click opens the report at that cell.

No asset was in the context, so each pump of the workbook got its own fit and its own B10; with P-101 in the context, only P-101's rows are fitted.

Part 5 — How to interpret the results

What B10 = 2,505.6 h means. One pump in ten of P-101's kind is expected to have failed by about 2,505.6 operating hours. The number is a cell of a full Weibull (2P) report - shape, scale, MTTF, bounds and plots - which the chip opens, and which stays in the project.

Why Menu mode. This computer has 8 GB of memory and no supported graphics card, too little for a local model, so the tab offers its analyses as buttons and says so instead of failing. With a model connected (Settings...), the same job starts from a typed request, and the same report cells stand behind the answer.

Each number is a report cell. The answer contains no number the model or the tab wrote itself: B10 and MTTF of the same pump come from the same fit, so they never disagree with each other or with the report.

The still-running pumps count. The three pumps still running at 3,000, 4,500 and 6,500 hours enter the fit as survivors, not as failures and not left out; leaving them out would make the B10 life too short.